

EDIT - bug #10228

Fields for elevation and date should always be expanded

01/17/2023 03:02 PM - Katja Luther

Status:	In Progress	Start date:	
Priority:	Highest	Due date:	
Assignee:	Katja Luther	% Done:	70%
Category:	taxeditor	Estimated time:	0:00 hour
Target version:	Release 5.44	Found in Version:	
Severity:	normal		
Description			
mail NaK:			
noch eine gaanz große Bitte für den nächsten Release, die hoffentlich leicht zu machen ist			
Es wäre toll, wenn die Eingabefelder für die Höhe und das Datum in der Specimen-Eingabemaske immer ausgeklappt wäre. Die jedes Mal auszuklappen ist nervig und verzögert. Ich gebe im Moment viele Typen ein und das würde die Eingabe wirklich sehr erleichtern.			
Also the protologue field should be open.			

Associated revisions

Revision be9ad726 - 01/18/2023 02:40 PM - Katja Luther

fix #10228: open fields for elevation and date in specimen dialog

Revision f3e6f488 - 02/10/2023 09:37 AM - Katja Luther

ref #10228: protologue should be open

History

#1 - 01/18/2023 02:53 PM - Katja Luther

- Status changed from New to Resolved

- % Done changed from 0 to 70

Applied in changeset [taxeditor|be9ad72658f97d4481f4ec6311bfe65ba1551534](#).

#2 - 01/18/2023 02:54 PM - Katja Luther

- Assignee changed from Katja Luther to Andreas Müller

This should be fixed, please review.

#3 - 01/18/2023 03:05 PM - Andreas Müller

- Target version changed from Release 5.45 to Release 5.44

#4 - 02/06/2023 10:12 AM - Katja Luther

- Description updated

- Status changed from Resolved to In Progress

- Assignee changed from Andreas Müller to Katja Luther

#5 - 09/28/2023 11:30 AM - Katja Luther

For protologues it does not work. The small arrow indicates that the part is "open", but the element is not shown.