

EDIT - feature request #7502

Add further columns to bulk editor

06/20/2018 10:16 AM - Andreas Müller

Status:	Closed	Start date:	
Priority:	Highest	Due date:	
Assignee:	Patrick Plitzner	% Done:	100%
Category:	taxeditor	Estimated time:	0:00 hour
Target version:	Release 5.4		
Severity:	normal		
Description			
As a start we could always add id, uuid, created, updated. But if possible there should be a way to hide this columns if wanted. (created, updated is less important, if difficult to implement)			
Going further it would be nice to have			
<ul style="list-style-type: none">• further cache fields (e.g. nameCache and authorshipCache for TaxonName, abbreviatedCache("nomencl. cache") for Reference, nomenclaturalTitle for Person and Team)• Important atomized String fields like<ul style="list-style-type: none">◦ TaxonName.GenusOrUninomial, .InfraGenericEpi, .specificEpi, .infraSpecificEpi◦ Reference.title, .abbreviatedTitle("nomencl. title")◦ Person.familyName, .otherName, .initials◦ Media.title, Media.description• Important boolean values like<ul style="list-style-type: none">◦ TaxonBase.publish and Specimen.publish◦ Team.hasMoreMembers◦ protectedXXX fields (behind the respective caches)• More difficult are Specimen/FieldUnits, relevant columns here: Country, collector, collecting number, collection, accession number/barcode/..., but they are spread to various classes so don't know if they are easy to handle• ...			
The above issues are ordered according to importance so feel free to start implementing only the first issues.			
Related issues:			
Related to EDIT - feature request #7659: Implement algorithm to optimize init...		New	
Follows EDIT - feature request #7439: Use NatTable for BulkEditor		Closed	
Precedes EDIT - feature request #7503: Make cells in bulk editor editable		New	
Copied to EDIT - bug #7852: NAT table symbols for boolean values change to te...		New	
Copied to EDIT - feature request #7853: Support multi column sort for NAT tab...		New	

Associated revisions

Revision 92a795af - 09/19/2018 04:15 PM - Patrick Plitzner

ref #7502 Add id and uuid to bulk editor

Revision bcc1d18a - 09/19/2018 04:23 PM - Patrick Plitzner

ref #7502 Add option to hide and show columns

Revision 521ddbfc - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Refactor column generation

- move constants and column properties to bulk editor input

Revision bb67f3ba - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add nomenclatural title to agent bulk editor

Revision 11ba4bed - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Change column order

- Move type column back

Revision de3db973 - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 code cleaning

Revision fe289550 - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add name cache and authorship cache for names

Revision 68befb95 - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add abbrev (nomencl.) cache for references

Revision 27cee58f - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add Name.Genus and epithets

Revision d1ccac39 - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add property columns for agents, media and references

Revision 0e7c806f - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add boolean property columns

Revision d9ade402 - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add protected cache boolean property columns

Revision 9d42b88f - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Add various occurrence columns

Revision 079534a2 - 10/05/2018 12:27 PM - Patrick Plitzner

ref #7502 Show boolean properties in checkboxes

Revision 9767c1ad - 10/05/2018 05:35 PM - Patrick Plitzner

ref #7502 Show lock icon in header

Revision 62b55a78 - 10/05/2018 05:56 PM - Patrick Plitzner

ref #7502 Show tooltip for lock icon in header

Revision 6fd483b7 - 10/08/2018 12:09 PM - Patrick Plitzner

ref #7502 Remove debug context menu

Revision ef7ec8ab - 10/08/2018 12:12 PM - Patrick Plitzner

ref #7502 Add table settings to search bar

Revision 271be809 - 10/08/2018 12:16 PM - Patrick Plitzner

ref #7502 Fix "de" translation

Revision 0dda9c8f - 10/08/2018 12:40 PM - Patrick Plitzner

ref #7502 Save table settings when closing bulk editor

Revision 9387c2d2 - 10/17/2018 03:48 PM - Patrick Plitzner

ref #7502 Fix et al. label

History

#1 - 06/20/2018 10:16 AM - Andreas Müller

- Due date set to 05/29/2018

- Start date changed from 06/20/2018 to 05/29/2018

- Follows feature request #7439: Use `NatTable` for `BulkEditor` added

#2 - 06/20/2018 10:24 AM - Andreas Müller

- Precedes feature request #7503: Make cells in bulk editor editable added

#3 - 06/27/2018 02:19 PM - Andreas Müller

- Target version changed from Release 5.1 to Release 5.2

#4 - 08/07/2018 04:04 PM - Andreas Müller

- Due date deleted (05/29/2018)

#5 - 08/08/2018 03:47 PM - Patrick Plitzner

- Target version changed from Release 5.2 to Release 5.3

#6 - 08/17/2018 10:42 AM - Andreas Müller

- Related to feature request #7659: Implement algorithm to optimize initial column size in NAT tables added

#7 - 09/06/2018 11:16 AM - Patrick Plitzner

- Target version changed from Release 5.3 to Release 5.4

#9 - 09/19/2018 01:18 PM - Andreas Müller

- Description updated

- Priority changed from New to Highest

#10 - 09/19/2018 04:24 PM - Patrick Plitzner

- Status changed from New to Feedback

- Assignee changed from Patrick Plitzner to Andreas Müller

- % Done changed from 0 to 20

@Andreas: Please review the first implementation of this for id and uuid

#11 - 09/24/2018 12:29 PM - Andreas Müller

- Status changed from Feedback to In Progress

- Assignee changed from Andreas Müller to Patrick Plitzner

Patrick Plitzner wrote:

@Andreas: Please review the first implementation of this for id and uuid

Looks ok.

Minor issues:

- I do not understand the sorting of uuids. Looks like they sort from 8xxx to fxxx and then start from 0xxx to 7xxx. This might be due to the way how they are internally represented. But it would be better to do it more intuitiv for human users.
- It seems not to be possible to reenable (unhide) single columns, but only all. Is this the only possibility that NAT offers?
- The right click menu has 3 separators between "New" and "Hide column". It would be nice if they could be deduplicated.

Generally I think you can continue with the implementation.

#12 - 10/05/2018 12:28 PM - Patrick Plitzner

- Status changed from In Progress to Resolved

- Assignee changed from Patrick Plitzner to Andreas Müller

- % Done changed from 20 to 50

I implemented all of the mentioned properties as columns.

Please check all types of bulk editors.

#13 - 10/17/2018 03:39 PM - Andreas Müller

- Status changed from Resolved to Feedback

- Assignee changed from Andreas Müller to Patrick Plitzner

The symbol still switches to label if one sorts by a "protected" boolean field.

#14 - 10/17/2018 03:44 PM - Andreas Müller

Question: does NAT support multi-sort? E.g. you want to sort first by protected or not protected titleCache, second order should be alphabetic order of titleCache.

Note: Some frameworks implement this by first sorting by the second sort, then by the first. The previous sort order still exists then but is reordered if and only if it does not fit with the later sorting. Would be nice to have this.

#15 - 10/17/2018 03:47 PM - Andreas Müller

et al => et al.

#16 - 10/17/2018 03:49 PM - Patrick Plitzner

Andreas Müller wrote:

Question: does NAT support multi-sort? E.g. you want to sort first by protected or not protected titleCache, second order should be alphabetic order of titleCache.

Note: Some frameworks implement this by first sorting by the second sort, then by the first. The previous sort order still exists then but is reordered if and only if it does not fit with the later sorting. Would be nice to have this.

NatTable supports multi sort but I have still not tested it yet

#17 - 10/17/2018 03:52 PM - Patrick Plitzner

Andreas Müller wrote:

The symbol still switches to label if one sorts by a "protected" boolean field.

I have been playing around with this and it is not an easy fix. Anyway, with the current column size it's not that critical for now because the icon just changes into the sorting arrow and you don't even see the text.

#18 - 10/17/2018 03:53 PM - Andreas Müller

The view configurations dialog does not disable buttons which are not available. Also "Done" I would relabel to "Close". Or is this an RCP System dialog which can't be changed?

#19 - 10/17/2018 03:53 PM - Andreas Müller

Patrick Plitzner wrote:

Andreas Müller wrote:

The symbol still switches to label if one sorts by a "protected" boolean field.

I have been playing around with this and it is not an easy fix. Anyway, with the current column size it's not that critical for now because the icon just changes into the sorting arrow and you don't even see the text.

true, not critical, but we should remember the open issue.

#20 - 10/17/2018 03:54 PM - Andreas Müller

All the rest works very fine and is great new functionality!!

#21 - 10/17/2018 03:55 PM - Patrick Plitzner

Andreas Müller wrote:

The view configurations dialog does not disable buttons which are not available. Also "Done" I would relabel to "Close". Or is this an RCP System dialog which can't be changed?

This is a built-in NatTable dialog

#22 - 10/19/2018 03:01 PM - Patrick Plitzner

- Assignee changed from Patrick Plitzner to Andreas Müller

#23 - 10/23/2018 04:07 PM - Andreas Müller

- Copied to bug #7852: NAT table symbols for boolean values change to text if columns are sorted added

#24 - 10/23/2018 04:08 PM - Andreas Müller

Andreas Müller wrote:

Patrick Plitzner wrote:

Andreas Müller wrote:

The symbol still switches to label if one sorts by a "protected" boolean field.

I have been playing around with this and it is not an easy fix. Anyway, with the current column size it's not that critical for now because the icon just changes into the sorting arrow and you don't even see the text.

true, not critical, but we should remember the open issue.

copied to new ticket [#7852](#)

#25 - 10/23/2018 04:10 PM - Andreas Müller

- Copied to feature request #7853: Support multi column sort for NAT tables (e.g. in bulk editor) added

#26 - 10/23/2018 04:11 PM - Andreas Müller

Patrick Plitzner wrote:

Andreas Müller wrote:

Question: does NAT support multi-sort? E.g. you want to sort first by protected or not protected titleCache, second order should be alphabetic order of titleCache.

Note: Some frameworks implement this by first sorting by the second sort, then by the first. The previous sort order still exists then but is reordered if and only if it does not fit with the later sorting. Would be nice to have this.

NatTable supports multi sort but I have still not tested it yet

copied to new ticket [#7853](#)

#27 - 10/23/2018 04:11 PM - Andreas Müller

- Status changed from Feedback to Closed

- Assignee changed from Andreas Müller to Patrick Plitzner

- % Done changed from 50 to 100

Open issues copied to new tickets. Close this ticket.