

EDIT - bug #8385

Open issues in DB preferences

07/18/2019 01:34 PM - Andreas Müller

Status:	Closed	Start date:	
Priority:	Highest	Due date:	
Assignee:	Katja Luther	% Done:	90%
Category:	taxeditor	Estimated time:	0:00 hour
Target version:	Release 5.9	Found in Version:	
Severity:	normal		
Description			
<ul style="list-style-type: none">• Values on General page (Export/Import, Checklist perspective, TaxonNode Wizard) are not loaded correctly when reopening the DB-pref wizard• Commonname areas popup: finish button does not workthis works for me• Name details view can not be set to "default" (always chooses enabled after reopening)• PublishFlag: if choosing "default" after reopening an IAE is thrown (see #8385#note-6)• Distribution-Editor:<ul style="list-style-type: none">◦ !!status-combo: default handling not correct, "Use default" is stored in DB instead of deleting preference => no combobox is shown in Dist Editor◦ sorting areas => choose Label, selects ID in Voc after reopening◦ Show rank: use yes and no instead "Show Rank" and "No rank", this is consistent with other such fields.• ABCD Import: (see also #8089)<ul style="list-style-type: none">◦ Biocase Provider for associated DNA should be moved to "Biocase Provider" **this is not the same because this provider link belongs to the configurator◦ Nomencl.Code dropdown is missing a label◦ io.ABCD.config is stored in DB with value NULL even if nothing has changed, if this is default value, the default should not be stored◦ similar for BiocaseProvider: io.ABCD.providerList is stored with "Keine Provider verfügbar;" which seems to be incorrect as this is only a label for a non-existing provider• Disable "allow override" where no local preference exists yet (or better implement local preference)<ul style="list-style-type: none">◦ ABCD import◦ General (IO menu, Checklist perspective, TaxonNode Wizard)this exist in local preferences, too◦ Common names areas• Adapt menu to local prefs menu (use same structure)• Check result of "Restore Defaults", with the new implementation it should always set fields to "default" but it doesn't (e.g. Distribution Editor Show Ranks is set to "Show Rank" instead)• show default value in brackets: currently "Use default" is shown but users don't know what the default value is so it is difficult to decide if "Use default" is what is wanted. However, computing the default needs to be done together with "subject" so first all higher subjects need to be asked for there value and finally if no value exists for any subject the default for the predicate should be taken.• disable OK if no changes took place, same as "Apply" (necessary?)• NameDetailsView: the taxon sec attributes are disabled if NDV is disabled but they are not grey. Only when uncheck NDV display on the page they are also grey as all others• handle default with allowOverride=false => #8389			
Related issues:			
Related to EDIT - bug #7849: Improve DB Preferences handling and saving in Ta...		Closed	
Related to EDIT - feature request #8089: improve abcd preference page		New	
Related to EDIT - bug #8389: Correct handling of default values with allowOve...		Resolved	
Related to EDIT - feature request #8489: Further issues for DB preferences		Resolved	
Related to EDIT - bug #8494: Better ABCD Preferences Page		In Progress	

Associated revisions

Revision cf115b19 - 07/18/2019 05:37 PM - Patrick Plitzner

ref #8385 Remove publish flag preference when set to default

Revision 793ded33 - 07/18/2019 05:51 PM - Patrick Plitzner

ref #8385 Fix potential NPE

Revision 25a3ce1e - 08/01/2019 10:50 AM - Katja Luther

ref #8385: fixes for preferences

Revision c2a446b0 - 08/02/2019 10:48 AM - Katja Luther

ref #8385: fixes in preferences - getDefaults() for all pages

Revision 515bfcff - 08/02/2019 11:48 AM - Katja Luther

ref #8385: fix TermOrder Enum

Revision fc3e5e6e - 08/02/2019 11:51 AM - Katja Luther

ref #8385: fixes in preferences - continue

Revision fe64715e - 08/08/2019 02:03 PM - Katja Luther

ref #8385: add new preference predicates

Revision 9c128421 - 08/08/2019 02:05 PM - Katja Luther

ref #8385: adapt local and db preference pages

Revision 905236e8 - 08/15/2019 10:17 AM - Katja Luther

ref #8385: adapt structure of db prefs to local prefs

Revision af1131f2 - 08/15/2019 10:20 AM - Katja Luther

ref #8385: add method to get voc by uuid

Revision f9840e06 - 08/16/2019 12:14 PM - Katja Luther

ref #8385: correct preference handling for provider list

Revision a60ccec4 - 08/16/2019 12:14 PM - Katja Luther

ref #8385: enable apply button when provider added or removed from preference

Revision c1662123 - 08/16/2019 01:22 PM - Katja Luther

ref #8385: adapt preference keys to preference predicates

Revision 041937b4 - 08/19/2019 09:42 AM - Katja Luther

ref #8385: fix problems in preferences

Revision f9af366e - 08/19/2019 09:53 AM - Katja Luther

ref #8385: smaller changes in preferences

Revision dea4cffc - 08/19/2019 01:06 PM - Katja Luther

ref #8385: add allowOverride to AbcdProvider PreferencePage

Revision c9bb625e - 08/19/2019 01:06 PM - Katja Luther

ref #8385: fix nomenclatural code preference page

Revision dc1780ec - 08/19/2019 02:27 PM - Katja Luther

ref #8385: fix nomenclatural code preference page - continue

Revision f02e08f4 - 08/26/2019 02:43 PM - Katja Luther

ref #8385: fix general and abcd pages

Revision 3d31b229 - 08/26/2019 03:16 PM - Katja Luther

ref #8385: fix nomenclatural status page

Revision c793c58b - 08/26/2019 03:27 PM - Katja Luther

ref #8385: fix namedetails view configuration and rank selection

Revision e649e0cb - 08/27/2019 12:06 PM - Katja Luther

ref #8385: label issues, search dialog prefs...

Revision d2a55134 - 08/27/2019 12:06 PM - Katja Luther

ref #8385: label issues

Revision 8fecfdbd - 08/27/2019 12:41 PM - Katja Luther

ref #8385: fix general prefs and publish flag prefs page

Revision 531b0ee6 - 08/27/2019 02:44 PM - Katja Luther

ref #8385: fix specimen pref page

Revision de9fe10f - 08/28/2019 01:49 PM - Katja Luther

ref #8385: smaller label issues

Revision 89683c7f - 08/28/2019 03:40 PM - Katja Luther

ref #8385: smaller label issues

Revision c4ae573c - 08/29/2019 12:50 PM - Katja Luther

ref #8385: fix NPE

Revision 44c33856 - 08/29/2019 12:52 PM - Katja Luther

ref #8385: fix enabling of allow override button

Revision 643f70e0 - 08/29/2019 01:10 PM - Katja Luther

ref #8385: adapt local default labels to db preference

Revision 53d771bb - 08/29/2019 01:15 PM - Katja Luther

ref #8385: fix enabling and disabling of distribution editor pref page

Revision 6f5b48f3 - 08/29/2019 01:39 PM - Katja Luther

ref #8385: setToDefault needs to setApply = true

Revision cb75abfb - 08/29/2019 02:06 PM - Katja Luther

ref #8385: show db preference for local term preferences if default is selected

Revision 75ca45ac - 08/29/2019 02:36 PM - Katja Luther

ref #8385: do not show default preference for distributionstatus

Revision 0a635f6d - 08/29/2019 04:19 PM - Katja Luther

ref #8385: label issues

Revision bcf07bcc - 09/09/2019 01:05 PM - Katja Luther

ref #8385: minor in preferencesUtil

Revision b6ea6bbc - 09/13/2019 11:02 AM - Katja Luther

ref #8385: methods for better voc selection pref pages

Revision e7cdc2fb - 09/13/2019 11:07 AM - Katja Luther

ref #8385: better handling of distr preferences and term related preferences

History

#1 - 07/18/2019 01:36 PM - Andreas Müller

- Description updated

#2 - 07/18/2019 01:39 PM - Andreas Müller

- Description updated

#3 - 07/18/2019 01:39 PM - Andreas Müller

- Assignee changed from Katja Luther to Patrick Plitzner

Patrick, can you have a look?

#4 - 07/18/2019 01:42 PM - Andreas Müller

- Description updated

#5 - 07/18/2019 01:44 PM - Andreas Müller

- Description updated

#6 - 07/18/2019 01:45 PM - Andreas Müller

After setting Publish Flag to default and reopening:

```
login : admin
editor version : 5.8.0.201907180811
server : test.e-taxonomy.eu (edit-test) / rem_conf_am
schema version : 5.5.0.0.20190221
os : Windows Server 2012 R2 6.3 amd64
java : 1.8.0_121
java.lang.IllegalArgumentException: No enum constant eu.etaxonomy.cdm.model.metadata.PublishEnum.
    at java.lang.Enum.valueOf (Enum.java:238)
    at eu.etaxonomy.cdm.model.metadata.PublishEnum.valueOf (PublishEnum.java:1)
    at eu.etaxonomy.taxeditor.databaseAdmin.preferencePage.PublishFlagPreference.getValues (PublishFlagPreference.java:75)
    at eu.etaxonomy.taxeditor.preference.PublishFlagLocalPreference.createContents (PublishFlagLocalPreference.java:57)
    at org.eclipse.jface.preference.PreferencePage.createControl (PreferencePage.java:241)
    at eu.etaxonomy.taxeditor.preference.menu.CdmPreferencePage.createControl (CdmPreferencePage.java:65)
    at org.eclipse.jface.preference.PreferenceDialog.createPageControl (PreferenceDialog.java:1430)
    at org.eclipse.jface.preference.PreferenceDialog$9.run (PreferenceDialog.java:1197)
    at org.eclipse.core.runtime.SafeRunner.run (SafeRunner.java:42)
    at org.eclipse.ui.internal.JFaceUtil$1.run (JFaceUtil.java:50)
    at org.eclipse.jface.util.SafeRunnable.run (SafeRunnable.java:173)
    at org.eclipse.jface.preference.PreferenceDialog.showPage (PreferenceDialog.java:1189)
    at org.eclipse.jface.preference.PreferenceDialog$5.lambda$0 (PreferenceDialog.java:656)
    at org.eclipse.swt.custom.BusyIndicator.showWhile (BusyIndicator.java:70)
    at org.eclipse.jface.preference.PreferenceDialog$5.selectionChanged (PreferenceDialog.java:653)
    at org.eclipse.jface.viewers.StructuredViewer$3.run (StructuredViewer.java:878)
    at org.eclipse.core.runtime.SafeRunner.run (SafeRunner.java:42)
    at org.eclipse.ui.internal.JFaceUtil$1.run (JFaceUtil.java:50)
    at org.eclipse.jface.util.SafeRunnable.run (SafeRunnable.java:173)
    at org.eclipse.jface.viewers.StructuredViewer.firePostSelectionChanged (StructuredViewer.java:875)
    at org.eclipse.jface.viewers.StructuredViewer.setSelection (StructuredViewer.java:1729)
    at org.eclipse.jface.viewers.TreeViewer.setSelection (TreeViewer.java:1077)
    at org.eclipse.jface.preference.PreferenceDialog.selectSavedItem (PreferenceDialog.java:991)
    at org.eclipse.jface.preference.PreferenceDialog.lambda$0 (PreferenceDialog.java:346)
    at org.eclipse.swt.custom.BusyIndicator.showWhile (BusyIndicator.java:70)
    at org.eclipse.jface.preference.PreferenceDialog.createContents (PreferenceDialog.java:343)
    at org.eclipse.jface.window.Window.create (Window.java:426)
    at org.eclipse.jface.dialogs.Dialog.create (Dialog.java:1095)
    at eu.etaxonomy.taxeditor.workbench.handler.OpenAdminPreferencesHandler.execute (OpenAdminPreferencesHandler.java:123)
    at sun.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:62)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke (Method.java:498)
    at org.eclipse.e4.core.internal.di.MethodRequestor.execute (MethodRequestor.java:55)
    at org.eclipse.e4.core.internal.di.InjectorImpl.invokeUsingClass (InjectorImpl.java:282)
    at org.eclipse.e4.core.internal.di.InjectorImpl.invoke (InjectorImpl.java:264)
    at org.eclipse.e4.core.contexts.ContextInjectionFactory.invoke (ContextInjectionFactory.java:132)
    at org.eclipse.e4.core.commands.internal.HandlerServiceHandler.execute (HandlerServiceHandler.java:152)
    at org.eclipse.core.commands.Command.executeWithChecks (Command.java:494)
    at org.eclipse.core.commands.ParameterizedCommand.executeWithChecks (ParameterizedCommand.java:488)
    at org.eclipse.e4.core.commands.internal.HandlerServiceImpl.executeHandler (HandlerServiceImpl.java:210)
    at org.eclipse.e4.ui.workbench.renderers.swt.HandledContributionItem.executeItem (HandledContributionItem.java:433)
    at org.eclipse.e4.ui.workbench.renderers.swt.AbstractContributionItem.handleWidgetSelection (AbstractContributionItem.java:454)
```

```
at org.eclipse.e4.ui.workbench.renderers.swt.AbstractContributionItem$3.handleEvent (AbstractContributionItem.java:482)
at org.eclipse.swt.widgets.EventTable.sendEvent (EventTable.java:84)
at org.eclipse.swt.widgets.Display.sendEvent (Display.java:4418)
at org.eclipse.swt.widgets.Widget.sendEvent (Widget.java:1079)
at org.eclipse.swt.widgets.Display.runDeferredEvents (Display.java:4236)
at org.eclipse.swt.widgets.Display.readAndDispatch (Display.java:3824)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$4.run (PartRenderingEngine.java:1121)
at org.eclipse.core.databinding.observable.Realm.runWithDefault (Realm.java:336)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run (PartRenderingEngine.java:1022)
at org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI (E4Workbench.java:150)
at org.eclipse.ui.internal.Workbench$5.run (Workbench.java:693)
at org.eclipse.core.databinding.observable.Realm.runWithDefault (Realm.java:336)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench (Workbench.java:610)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench (PlatformUI.java:148)
at eu.etaxonomy.taxeditor.Application.start (Application.java:24)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run (EclipseAppHandle.java:196)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication (EclipseAppLauncher.java:134)
)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start (EclipseAppLauncher.java:104)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run (EclipseStarter.java:388)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run (EclipseStarter.java:243)
at sun.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke (Method.java:498)
at org.eclipse.equinox.launcher.Main.invokeFramework (Main.java:673)
at org.eclipse.equinox.launcher.Main.basicRun (Main.java:610)
at org.eclipse.equinox.launcher.Main.run (Main.java:1519)
```

#7 - 07/18/2019 02:06 PM - Andreas Müller

- Description updated

#8 - 07/18/2019 02:07 PM - Andreas Müller

- Description updated

#9 - 07/18/2019 02:08 PM - Andreas Müller

- Priority changed from New to Highest

#10 - 07/18/2019 02:44 PM - Andreas Müller

- Description updated

#11 - 07/18/2019 02:45 PM - Andreas Müller

- Related to bug #7849: Improve DB Preferences handling and saving in TaxEditor added

#12 - 07/18/2019 03:09 PM - Andreas Müller

- Description updated

#13 - 07/18/2019 03:25 PM - Andreas Müller

- Description updated

#14 - 07/18/2019 03:45 PM - Andreas Müller

- Description updated

#15 - 07/18/2019 03:49 PM - Andreas Müller

- Description updated

#16 - 07/18/2019 03:56 PM - Andreas Müller

- Description updated

#17 - 07/18/2019 04:13 PM - Andreas Müller

- Description updated

#18 - 07/18/2019 04:14 PM - Andreas Müller

- Related to feature request #8089: improve abcd preference page added

#19 - 07/18/2019 04:33 PM - Andreas Müller

io.ABCD.config is stored in DB with value NULL even if nothing has changed, if this is default value, the default should not be stored

CRITICAL: if this value is set the navigator does not show any classifications after restart. We need to check why this is and fix it (it is the first page and this can happen accidentally).

Maybe these stacktraces are related:

```
java.lang.NullPointerException
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.getDBAbcdImportConfigurationPreference (PreferencesUtil.java:1447)
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.resetToDBPreferenceAbcdConfigurator (PreferencesUtil.java:1541)
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.updateAbcdImportConfigurationPreference (PreferencesUtil.java:1535)
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.updateDBPreferences (PreferencesUtil.java:1711)
    at eu.etaxonomy.taxeditor.databaseAdmin.preferencePage.AbcdImportPreference.performOk (AbcdImportPreference.java:367)
    at org.eclipse.jface.preference.PreferenceDialog$8.run (PreferenceDialog.java:905)
    at org.eclipse.core.runtime.SafeRunner.run (SafeRunner.java:42)
    at org.eclipse.ui.internal.JFaceUtil$1.run (JFaceUtil.java:50)
    at org.eclipse.jface.util.SafeRunnable.run (SafeRunnable.java:173)
```

```
java.lang.NullPointerException
    at eu.etaxonomy.taxeditor.ApplicationWorkbenchAdvisor$CdmStatusHandler.handle (ApplicationWorkbenchAdvisor.java:123)
    at org.eclipse.ui.internal.WorkbenchErrorHandlerProxy.handle (WorkbenchErrorHandlerProxy.java:31)
    at org.eclipse.ui.statushandlers.StatusManager.handle (StatusManager.java:204)
    at org.eclipse.ui.statushandlers.StatusManager.handle (StatusManager.java:246)
    at org.eclipse.ui.statushandlers.StatusManager.handle (StatusManager.java:257)
```

#21 - 07/18/2019 05:38 PM - Patrick Plitzner

- Description updated

#22 - 07/18/2019 05:54 PM - Patrick Plitzner

Andreas Müller wrote:

io.ABCD.config is stored in DB with value NULL even if nothing has changed, if this is default value, the default should not be stored

CRITICAL: if this value is set the navigator does not show any classifications after restart. We need to check why this is and fix it (it is the first page and this can happen accidentally).

Maybe these stacktraces are related:

```
java.lang.NullPointerException
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.getDBAbcdImportConfigurationPreference (PreferencesUtil.java:1447)
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.resetToDBPreferenceAbcdConfigurator (PreferencesUtil.java:1541)
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.updateAbcdImportConfigurationPreference (PreferencesUtil.java:1535)
    at eu.etaxonomy.taxeditor.preference.PreferencesUtil.updateDBPreferences (PreferencesUtil.java:1711)
    at eu.etaxonomy.taxeditor.databaseAdmin.preferencePage.AbcdImportPreference.performOk (AbcdImportPreference.java:367)
    at org.eclipse.jface.preference.PreferenceDialog$8.run (PreferenceDialog.java:905)
    at org.eclipse.core.runtime.SafeRunner.run (SafeRunner.java:42)
    at org.eclipse.ui.internal.JFaceUtil$1.run (JFaceUtil.java:50)
    at org.eclipse.jface.util.SafeRunnable.run (SafeRunnable.java:173)
```

```
java.lang.NullPointerException
    at eu.etaxonomy.taxeditor.ApplicationWorkbenchAdvisor$CdmStatusHandler.handle (ApplicationWorkbenchAdvisor.java:123)
    at org.eclipse.ui.internal.WorkbenchErrorHandlerProxy.handle (WorkbenchErrorHandlerProxy.java:31)
    at org.eclipse.ui.statushandlers.StatusManager.handle (StatusManager.java:204)
    at org.eclipse.ui.statushandlers.StatusManager.handle (StatusManager.java:246)
    at org.eclipse.ui.statushandlers.StatusManager.handle (StatusManager.java:257)
```

This is now fixed. It was an NPE because the ABCD config is stored as null in the DB Prefs. Wouldn't it be better to just delete the preference if the config is null. null means default in this case and default should be the same as deleting the preference.

#23 - 07/18/2019 05:55 PM - Patrick Plitzner

Patrick Plitzner wrote:

Wouldn't it be better to just delete the preference if the config is null. null means default in this case and default should be the same as deleting the preference.

I just saw that this is already mentioned in the ticket description.

#24 - 07/18/2019 08:10 PM - Andreas Müller

the above both fixes seem to work (though the last is only a workaround for a real fix (full delete of the preference))

#25 - 07/18/2019 08:24 PM - Andreas Müller

- Description updated

#26 - 07/18/2019 08:30 PM - Andreas Müller

- Related to bug #8389: Correct handling of default values with allowOverride=false added

#27 - 07/18/2019 08:31 PM - Andreas Müller

- Description updated

#28 - 07/19/2019 03:00 PM - Andreas Müller

- Target version changed from Release 5.8 to Release 5.9

#29 - 07/30/2019 02:15 PM - Patrick Plitzner

- Assignee changed from Patrick Plitzner to Katja Luther

Passing the ticket back to Katja. We may have a look on it together, though.

#30 - 07/31/2019 10:40 AM - Katja Luther

- Description updated

#31 - 08/01/2019 01:22 PM - Katja Luther

- Description updated

#32 - 08/01/2019 01:23 PM - Katja Luther

- Status changed from New to In Progress

#33 - 08/02/2019 11:03 AM - Katja Luther

- Description updated

#34 - 08/02/2019 11:08 AM - Katja Luther

- Description updated

#35 - 08/13/2019 10:04 AM - Katja Luther

- Description updated

#36 - 08/16/2019 10:58 AM - Katja Luther

- Description updated

#37 - 08/16/2019 11:58 AM - Katja Luther

- Description updated

#38 - 08/16/2019 10:09 PM - Andreas Müller

- Status changed from In Progress to Feedback

When opening Preferences - Distribution Editor for the first time the drop downs for some fields were completely empty. Is this because maybe old values were stored that are not supported anymore? Do we need an update script for them? How does the TaxEditor handle such entries. Does it throw exceptions if it uses them or does it use the default value instead?
this is fixed

#39 - 08/16/2019 10:12 PM - Andreas Müller

- Description updated

Name details view can not be set to "default" (always chooses enabled after reopening)

Now it always sets it back to "Use default" after reopening

this is fixed

#40 - 08/16/2019 10:19 PM - Andreas Müller

Andreas Müller wrote:

When opening Preferences - Distribution Editor for the first time the drop downs for some fields were completely empty. Is this because maybe old values were stored that are not supported anymore? Do we need an update script for them? How does the TaxEditor handle such entries. Does it throw exceptions if it uses them or does it use the default value instead?

~~This even happend with freshly selected data. In Distribution Editor when selecting "IdInVoc" after reopening the drop down is empty.~~

this is fixed

#41 - 08/16/2019 10:21 PM - Andreas Müller

ABCD import is now implemented on both sides, but "allow override" does not yet exist for "ABCD import provider"

this is fixed

#42 - 08/16/2019 10:25 PM - Andreas Müller

~~some preferences are not deleted for NameDetailsView -> deselect all and reopen preferences -> 3 prefs stay selected~~

this is fixed

#43 - 08/16/2019 10:27 PM - Andreas Müller

~~name.nomenclaturalStatus can not be removed by Reset Default~~

this is fixed.

#44 - 08/16/2019 10:33 PM - Andreas Müller

~~Distribution editor status selection: changes are not visible in Preferences view after reopening the preferences view. I have not checked if they were correctly stored in the DB~~

this is fixed

#45 - 08/16/2019 10:36 PM - Andreas Müller

~~Restore button does not yet work for Distribution Editor status and area selection preferences~~

this is fixed

#46 - 08/21/2019 11:09 AM - Katja Luther

- Status changed from Feedback to Resolved

- Assignee changed from Katja Luther to Andreas Müller

please review

#47 - 08/26/2019 09:04 AM - Andreas Müller

- Status changed from Resolved to Feedback

- Assignee changed from Andreas Müller to Katja Luther

- % Done changed from 0 to 70

Name Details View: if UseDefaults(Disable) is selected the fields are not disabled in the same way as when selecting "Disable" this is fixed

#48 - 08/26/2019 09:05 AM - Andreas Müller

Name Details View: when selecting "restore defaults" allow override is not set to default

this is fixed

#49 - 08/26/2019 09:52 AM - Andreas Müller

"Show rank in Distribution Editor" should be relabled -> "Show rank column"

this is fixed

#50 - 08/26/2019 10:00 AM - Andreas Müller

ABCD: Ignore Authorship ... -> Ignore authorship ...

fixed

#51 - 08/26/2019 10:14 AM - Andreas Müller

Biocase Provider for associated DNA should be moved to "Biocase Provider"

this is not the same because this provider link belongs to the configurator

But still it would be nice to not allow to enter all providers may it be ABCD providers or DNA providers once at one place and then offer them where ever they are used as dropdown.

Also I do not understand why the biocase provider itself should not be part of the configurator while the DNA provider is part of it. Both is part of a specific import and therefore should be configurable when starting an import. Or do I misunderstand something here.

Note: to me it also seems like both should be usually a pair. For a given biocase provider I would expect that there is usually 1 DNA bank provider, so they could be selected as a pair.

#52 - 08/26/2019 10:21 AM - Andreas Müller

Why does the nomenclatural code not provide a default? Is this wanted? Does ABCD not need a nomenclatural code? I remember ABCD distinguishes botanical, zoological, ... by itself so maybe this parameter is not needed and only comes from the super class? If so, we should remove it. If not, and if a null value is not explicitly handled without using a default instead we should define the usage of default here, I guess. But I don't know the import so well so maybe there is a reason for the current implementation.

#53 - 08/26/2019 10:23 AM - Andreas Müller

ABCD: Restore defaults does not seem to set allowOverride

#54 - 08/26/2019 10:38 AM - Andreas Müller

io.ABCD.config is stored in DB with value NULL even if nothing has changed, if this is default value, the default should not be stored

This is still not fixed yet

#55 - 08/26/2019 10:45 AM - Andreas Müller

Andreas Müller wrote:

Biocase Provider for associated DNA should be moved to "Biocase Provider"

this is not the same because this provider link belongs to the configurator

But still it would be nice to not allow to enter all providers may it be ABCD providers or DNA providers once at one place and then offer them where ever they are used as dropdown.

Also I do not understand why the biocase provider itself should not be part of the configurator while the DNA provider is part of it. Both is part of a specific import and therefore should be configurable when starting an import. Or do I misunderstand something here.

Note: to me it also seems like both should be usually a pair. For a given biocase provider I would expect that there is usually 1 DNA bank provider, so they could be selected as a pair.

In general we should distinguish clearly between the list of available providers (may it be ABCD providers or DNA providers) and the default or predefined single values for the import configuration which provider to use for ABCD and for DNA. This is currently still mixed up. (But might be a new ticket)

#56 - 08/26/2019 10:48 AM - Andreas Müller

similar for BiocaseProvider: io.ABCD.providerList is stored with "Keine Provider verfügbar;" which seems to be incorrect as this is only a label for a non existing provider

This is fixed but still "Restore default" does not completely remove the preference (and even does not clear the existing list, what I would expect)

#57 - 08/26/2019 12:13 PM - Andreas Müller

General: When choosing "No—allow override" for all 3 entries the values shown in local preferences are "Use Default(Yes)", "Default(No)" and "Default(Yes)" but it should be all "Default(No)".

Also when choosing explicit "Yes" in local preferences for all 3 of them this is not stored in local prefs but after reopen it shows "Use Default XXX" again.

This might be the case elsewhere, too. For now I tested only for General page.

this is fixed

#58 - 08/26/2019 12:58 PM - Andreas Müller

Nomenclatural status is not stored. Neither after reopening the pref dialog nor after restarting the TaxEditor the new values are recovered. Also they seem to be not stored in the CdmPreference table.

fixed

#59 - 08/26/2019 12:59 PM - Andreas Müller

Same for ranks. They are not stored.

fixed

#60 - 08/26/2019 01:02 PM - Andreas Müller

Andreas Müller wrote:

Same for ranks. They are not stored.

Hmm, maybe I made a mistake. This seems to work.

#61 - 08/26/2019 01:06 PM - Andreas Müller

Name details view: "Restore Defaults" does not enable "Secundum enabled" and "Secundum Reference Details"

fixed

#62 - 08/26/2019 01:07 PM - Andreas Müller

NDV: "Secundum Reference Details" -> "Secundum reference details"

#63 - 08/26/2019 01:08 PM - Andreas Müller

NDV: NameCache of the name ... -> "Name cache of the name ..."

#64 - 08/26/2019 01:08 PM - Andreas Müller

NDV: "Whole Authorship section" -> "Whole authorship section"

#65 - 08/26/2019 01:10 PM - Andreas Müller

Andreas Müller wrote:

Name details view: "Restore Defaults" does not enable "Secundum enabled" and "Secundum Reference Details"

Same if checkbox for "Taxon of the name" is set to "true"

#66 - 08/26/2019 01:15 PM - Andreas Müller

Publish Flage:

"Not Publish" -> "Don't Publish"

"Use Default (InheritFromParent)" -> kein Camel Case sondern wie bei "Inherit from Parent"

Eventuell überall klein schreiben außer am Anfang, aber vielleicht können wir das auch so lassen. Wie du willst.

fixed

#67 - 08/26/2019 01:20 PM - Andreas Müller

Andreas Müller wrote:

General: When choosing "No - allow override" for all 3 entries the values shown in local preferences are "Use Default(Yes)",Default(No)" and "Default(Yes)" but it should be all "Default(No)".

Also when choosing explicit "Yes" in local preferences for all 3 of them this is not stored in local prefs but after reopen it shows "Use Default XXX" again.

This might be the case elsewhere, too. For now I tested only for General page.

~~Problem is similar for "Search Dialog". There the correct value is shown in local preferences but it should show "Use Default (%correct value%)". Currently it does not show the "Use default" even if no value was selected before.~~

fixed

#68 - 08/26/2019 01:22 PM - Andreas Müller

Search dialog: "Search also for titlecache ..." -> "... title cache ..."

fixed

#69 - 08/26/2019 01:35 PM - Andreas Müller

Andreas Müller wrote:

Andreas Müller wrote:

General: When choosing "No - allow override" for all 3 entries the values shown in local preferences are "Use Default(Yes)",Default(No)" and "Default(Yes)" but it should be all "Default(No)".

Also when choosing explicit "Yes" in local preferences for all 3 of them this is not stored in local prefs but after reopen it shows "Use Default XXX" again.

This might be the case elsewhere, too. For now I tested only for General page.

~~Problem is similar for "Search Dialog". There the correct value is shown in local preferences but it should show "Use Default (%correct value%)". Currently it does not show the "Use default" even if no value was selected before.~~

~~Same or similar for "Specimens"~~

fixed

#70 - 08/26/2019 01:36 PM - Andreas Müller

~~Saving of "Publish Flag" does not always work. You may try different states including allow override and "Restore Defaults". Sometime it seems to work, sometimes it does not. Not yet fully sure about the pattern.~~

fixed

#71 - 08/26/2019 01:37 PM - Andreas Müller

- Related to feature request #8489: Further issues for DB preferences added

#72 - 08/26/2019 01:41 PM - Andreas Müller

Generally values recovered by "Restore default" often seem not to be persisted but old values are kept.

fixed

#73 - 08/28/2019 02:05 PM - Katja Luther

- Related to bug #8494: Better ABCD Preferences Page added

#74 - 08/29/2019 11:58 AM - Katja Luther

- Status changed from Feedback to Resolved

- Assignee changed from Katja Luther to Andreas Müller

abcd preferences are moved to a new ticket, please review the rest.

#75 - 08/29/2019 12:34 PM - Andreas Müller

- Status changed from Resolved to Feedback

- Assignee changed from Andreas Müller to Katja Luther

- % Done changed from 70 to 80

Is there a reason why allow override is always disabled for "Enable Distribution Editor"?

#76 - 08/29/2019 12:45 PM - Katja Luther

Andreas Müller wrote:

Is there a reason why allow override is always disabled for "Enable Distribution Editor"?

I cannot reproduce this. But will have a look.

#77 - 08/29/2019 12:48 PM - Andreas Müller

Andreas Müller wrote:

General: When choosing "No - allow override" for all 3 entries the values shown in local preferences are "Use Default(Yes)",Default(No)" and "Default(Yes)" but it should be all "Default(No)".

This might be the case elsewhere, too. For now I tested only for General page.

This is not yet fixed for all such cases. I tested for Publish Flag and Distribution Editor preferences and the default values were not taken from the DB prefs. It works correct for the "General" page.

Please carefully check ALL pages for this issue.

#78 - 08/29/2019 12:53 PM - Katja Luther

Katja Luther wrote:

Andreas Müller wrote:

Is there a reason why allow override is always disabled for "Enable Distribution Editor"?

I cannot reproduce this. But will have a look.

is fixed

#79 - 08/29/2019 01:12 PM - Andreas Müller

Andreas Müller wrote:

Saving of "Publish Flag" does not always work. You may try different states including allow override and "Restore Defaults". Sometime it seems to work, sometimes it does not. Not yet fully sure about the pattern.

This is still open. Currently I can't save the state at all. Always "default" is shown after reopening.

#80 - 08/29/2019 01:15 PM - Katja Luther

Andreas Müller wrote:

Andreas Müller wrote:

General: When choosing "No - allow override" for all 3 entries the values shown in local preferences are "Use Default(Yes)", "Default(No)" and "Default(Yes)" but it should be all "Default(No)".

This might be the case elsewhere, too. For now I tested only for General page.

This is not yet fixed for all such cases. I tested for Publish Flag and Distribution Editor preferences and the default values were not taken from the DB prefs. It works correct for the "General" page.

Please carefully check ALL pages for this issue.

this should be fixed now

#81 - 08/29/2019 01:16 PM - Katja Luther

Andreas Müller wrote:

Andreas Müller wrote:

Saving of "Publish Flag" does not always work. You may try different states including allow override and "Restore Defaults". Sometime it seems to work, sometimes it does not. Not yet fully sure about the pattern.

This is still open. Currently I can't save the state at all. Always "default" is shown after reopening.

this is fixed with the last commit as well.

#82 - 08/29/2019 01:22 PM - Andreas Müller

Andreas Müller wrote:

Generally values recovered by "Restore default" often seem not to be persisted but old values are kept.

~~Still does not work for Name details view. Only if pressing "Apply" it works. OK does not delete the record. I have not tested other pages.~~ Please check all pages if it works.

#83 - 08/29/2019 01:58 PM - Katja Luther

Andreas Müller wrote:

Andreas Müller wrote:

Generally values recovered by "Restore default" often seem not to be persisted but old values are kept.

~~Still does not work for Name details view. Only if pressing "Apply" it works. OK does not delete the record. I have not tested other pages.~~ Please check all pages if it works.

sorry, I missed to call setApply(true), this is fixed.

#84 - 08/29/2019 02:21 PM - Andreas Müller

Names.NomenclaturalStatus restores default only after clicking 2x "Restore Default". Or more exact, clicking the first time seem to restore only the state before opening the preferences while the second time the value is really set to the default value.

#85 - 08/29/2019 02:28 PM - Andreas Müller

Distribution editor status and area selection: restore default deletes the values correctly but when opening the selection dialogs still the old values are shown.

#86 - 08/29/2019 02:30 PM - Katja Luther

Andreas Müller wrote:

Distribution editor status and area selection: restore default deletes the values correctly but when opening the selection dialogs still the old values are shown.

you need to click on apply or ok

#87 - 08/29/2019 02:32 PM - Andreas Müller

Distribution editor: Restore default removes the entry "distribution.status.term" from the above table (and completely removes all values from DB).

When reopening the entry in the table is shown again. This is inconsistent.

The main problem is that the table does not show the actual value, but only subject and predicate. So I can't see what value was restored.

Also it is not clear why this first line always seems to appear even if no preference was set yet.

#88 - 08/29/2019 02:37 PM - Andreas Müller

Katja Luther wrote:

Andreas Müller wrote:

Distribution editor status and area selection: restore default deletes the values correctly but when opening the selection dialogs still the old values are shown.

you need to click on apply or ok

why? This is not what I would expect.

Hmm, now I see that the dialog values are also stored if I click on Cancel. This is also not what I would expect. But it is consistent with the above issue.

Generally we need to change this. But I guess it is more difficult so we probably better open a new ticket.

#89 - 08/29/2019 02:37 PM - Katja Luther

Andreas Müller wrote:

Distribution editor: Restore default removes the entry "distribution.status.term" from the above table (and completely removes all values from DB).

When reopening the entry in the table is shown again. This is inconsistent.

The main problem is that the table does not show the actual value, but only subject and predicate. So I can't see what value was restored.

Also it is not clear why this first line always seems to appear even if no preference was set yet.

now the default preference is not shown in the table anymore

#90 - 08/29/2019 03:30 PM - Andreas Müller

In local preferences Publish Flag for "Use Default" the Camel Case is used, not the current correct label. E.g. (NotPublished) instead of "(Don't publish)"

#91 - 08/29/2019 04:25 PM - Katja Luther

Andreas Müller wrote:

In local preferences Publish Flag for "Use Default" the Camel Case is used, not the current correct label. E.g. (NotPublished) instead of "(Don't publish)"

is fixed, but for the next release.

#92 - 08/29/2019 10:17 PM - Andreas Müller

- % Done changed from 80 to 90

can you move open issues to [#8489](#)?

#93 - 03/09/2020 10:19 AM - Katja Luther

- Status changed from Feedback to Closed

Andreas Müller wrote:

can you move open issues to [#8489](#)?

This is done, therefore I close this ticket.