

EDIT - bug #9245

Creating derived units from existing derived unit is not possible in specimen tree editor

10/09/2020 03:35 PM - Katja Luther

Status:	Feedback	Start date:	
Priority:	Highest	Due date:	
Assignee:	Katja Luther	% Done:	0%
Category:	taxeditor	Estimated time:	0:00 hour
Target version:	Release 5.46	Found in Version:	
Severity:	blocker		
Description			
Trying to add a derived unit to an already existing derived unit is not possible because the menu entry "Add/Hinzufügen" shows only "media".			
Related issues:			
Related to EDIT - feature request #9446: Define possible derivation paths in ... New			

History

#1 - 10/19/2020 11:29 PM - Andreas Müller

- Severity changed from normal to blocker

This ticket needs to be fixed urgently as it makes the specimen tree editor impossible to use

#2 - 12/04/2020 09:03 AM - Katja Luther

- Target version changed from Release 5.18 to Release 5.19

#3 - 12/04/2020 02:45 PM - Andreas Müller

- Status changed from New to Feedback

- Target version changed from Release 5.19 to Release 5.18

This to me seems to be fixed. Katja can you check, and if true add commit and correct target version?

#4 - 01/18/2021 08:45 AM - Katja Luther

- Target version changed from Release 5.18 to Release 5.19

#5 - 01/18/2021 08:47 AM - Katja Luther

- Target version changed from Release 5.19 to Release 5.18

Keep it in 5.18 for check whether it is already fixed.

#6 - 02/01/2021 05:43 PM - Andreas Müller

Andreas Müller wrote:

This to me seems to be fixed. Katja can you check, and if true add commit and correct target version?

??

#7 - 04/30/2021 10:55 PM - Andreas Müller

- Target version changed from Release 5.18 to Release 5.25

Andreas Müller wrote:

Andreas Müller wrote:

This to me seems to be fixed. Katja can you check, and if true add commit and correct target version?

??

#8 - 05/11/2021 09:31 AM - Katja Luther

- Target version changed from Release 5.25 to Release 5.46

Andreas Müller wrote:

Andreas Müller wrote:

Andreas Müller wrote:

This to me seems to be fixed. Katja can you check, and if true add commit and correct target version?

??

Actually it is only possible to add a tissue sample or dna sample to a derived unit but it is not possible to add a tissue sample to a tissue sample, there is also a cdmlib ticket [#9446](#). I think this is the editor side of the problem, so I move this ticket in the same target version.

#9 - 05/11/2021 09:32 AM - Katja Luther

- Related to feature request #9446: Define possible derivation paths in SpecimenOrObservationType added