

## EDIT - bug #9478

### required ToOneRelatedEntityCombobox field in SpecimenTypeDesignationDTORow fails validation

02/25/2021 02:38 PM - Andreas Kohlbecker

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Highest	<b>Due date:</b>	
<b>Assignee:</b>	Andreas Kohlbecker	<b>% Done:</b>	100%
<b>Category:</b>	cdm-vaadin	<b>Estimated time:</b>	0:00 hour
<b>Target version:</b>	Release 5.21	<b>Found in Version:</b>	
<b>Severity:</b>	normal		
<b>Description</b>			
the SpecimenTypeDesignationDTORow contains the ToOneRelatedEntityCombobox<Reference> designationReference When set to required the field is being validated in MBeanFieldGroup.valueChange() to ensure the existing row is complete before adding a new row. A new Row is never being add since the the designationReference field always fails during validation.			
<b>IMPORTANT:</b> Check that no regression occurs fir the case described in <a href="#">#7245</a> duplicate of <a href="#">#8249</a> ???			
<b>Related issues:</b>			
Related to EDIT - bug #7245: validation of ToOneRelatedEntityCombobox not wor...		<b>Closed</b>	
Blocks EDIT - bug #9476: SpecimenTypeDesignations for existing names in other...		<b>Closed</b>	
Copied to EDIT - bug #9479: ToOneRelatedEntityCombobox misses sending ValueCh...		<b>Closed</b>	

#### Associated revisions

##### Revision 36c60299 - 02/25/2021 02:48 PM - Andreas Kohlbecker

fix #9478 fixing validation problem in ToOneRelatedEntityCombobox

#### History

##### #1 - 02/25/2021 02:38 PM - Andreas Kohlbecker

- Related to bug #9476: SpecimenTypeDesignations for existing names in other nom acts can not be created added

##### #2 - 02/25/2021 02:38 PM - Andreas Kohlbecker

- Related to deleted (bug #9476: SpecimenTypeDesignations for existing names in other nom acts can not be created)

##### #3 - 02/25/2021 02:39 PM - Andreas Kohlbecker

- Blocks bug #9476: SpecimenTypeDesignations for existing names in other nom acts can not be created added

##### #4 - 02/25/2021 02:41 PM - Andreas Kohlbecker

- Description updated

- Status changed from New to In Progress

##### #5 - 02/25/2021 02:41 PM - Andreas Kohlbecker

- Related to bug #7245: validation of ToOneRelatedEntityCombobox not working added

##### #6 - 02/25/2021 02:48 PM - Andreas Kohlbecker

- Status changed from In Progress to Resolved

- % Done changed from 0 to 50

Applied in changeset [cdm-vaadin|36c60299426da3a4ae7f9c90ba0568d8e9e64402](#).

##### #7 - 02/25/2021 02:49 PM - Andreas Kohlbecker

- Subject changed from required ToOneRelatedCombobox field in SpecimenTypeDesignationDTORow fails validation to required ToOneRelatedEntityCombobox field in SpecimenTypeDesignationDTORow fails validation

**#8 - 02/25/2021 02:57 PM - Andreas Kohlbecker**

- Related to bug #8249: WeaklyRelatedEntityCombobox: validation of isRequired should only happen after user interaction added

**#9 - 02/25/2021 02:57 PM - Andreas Kohlbecker**

- Description updated

**#10 - 02/25/2021 03:03 PM - Andreas Kohlbecker**

- Copied to bug #9479: ToOneRelatedEntityCombobox misses sending ValueChanged events to MBeanFieldGroup added

**#11 - 03/01/2021 01:13 PM - Andreas Kohlbecker**

- Related to deleted (bug #8249: WeaklyRelatedEntityCombobox: validation of isRequired should only happen after user interaction)

**#12 - 03/01/2021 01:13 PM - Andreas Kohlbecker**

- Status changed from Resolved to Closed

- % Done changed from 50 to 100

no regression occurs in the case described in [#7245](#)

no duplicate of [#8249](#)

and fully solved